

Locations: Louisville, Elizabethtown, Radcliff, Smiths Grove, Bowling Green, Russellville.

Fax: 270-506-2466, Phone: 270-506-2463

Gastroenterology Referral Form					
Please Attach Copy of Insurance Cards (Front & Back)					
Last Name: First Name:		Name:	DOB:	Practice:	
Address:				Address:	
City:	State	: Zip:	Sex: M F	City: State: Zip:	
Phone: SSN#			Prescriber Name:		
Insurance Information Prescriber NPI:					
Insurance Plan: Insurance Plan:		Insurance Plan:		Nurse/Key Contact:	
Policy # Policy #			Phone:		
Plan I.D. #		Plan I.D. #		Fax: Email:	
Diagnosis & Clinical Information					
Please Attach Clinical/Progress Notes, Labs, Test, Supporting Primary Diagnosis					
Crahr's Diseases Diseases TD (DDD Took DD 111 DD 11					
		nosis code:	TB/PPD Test: Positiv	est: Positive Negative Date:	
			Allergies:		
Other:					
Currently received and/or prior filed therapies:		es:	NKDA		
Length of treatment:			Height: Weight	:	
-			Site of Care: Home		
Reason for discontinuation: Site of Care: Home AIC Other:					
Prescription Information					
		Prescription	on Information		
Medication	Dose/Strength	Prescriptio	Directions		Refills
				8 weeks thereafter	Refills
Medication Entyvio (vedolizumab)	Dose/Strength 300mg vial	INITIAL: Infuse 300mg I	Directions		Refills
Entyvio (vedolizumab)		INITIAL: Infuse 300mg I MAINTENANCE: Infuse	Directions V at week 0, 2, 6, then every 300mg IV every w		Refills
Entyvio		INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t	eeks hen every 8 weeks thereafter	Refills
Entyvio (vedolizumab)		INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse	Directions V at week 0, 2, 6, then every 300mg IV every w	eeks hen every 8 weeks thereafter	Refills
Entyvio (vedolizumab) Inflectra (infliximab)	300mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other	Directions V at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t _ mg/kg IV every	eeks hen every 8 weeks thereafter weeks	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade	300mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to	Directions IV at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t _ mg/kg IV every of the nearest 100mg Given	eeks hen every 8 weeks thereafter	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to	Directions V at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t mg/kg IV every o the nearest 100mg	eeks hen every 8 weeks thereafter weeks ve exact dose (do NOT round)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial 100mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260	Directions V at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t mg/kg IV every o the nearest 100mg	eeks hen every 8 weeks thereafter weeks	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k	Directions IV at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t _ mg/kg IV every to the nearest 100mg Given osing, infuse IV Omg (2 vials)	eeks hen every 8 weeks thereafter weeks ve exact dose (do NOT round)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab)	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials)	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9	Directions IV at week 0, 2, 6, then every 300mg IV every wmg/kg IV at week 0, 2, 6, tmg/kg IV every of the nearest 100mg Given cosing, infuse IV Dmg (2 vials)	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis	300mg vial 100mg vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials)	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab)	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials)	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/7 MAINTENANCE: Inject 3	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/1 MAINTENANCE: Inject 3	Directions IV at week 0, 2, 6, then every 300mg IV every w _ mg/kg IV at week 0, 2, 6, t _ mg/kg IV every to the nearest 100mg Gives osing, infuse IV graph (2 vials) Graph (2 vials) Graph (3 vials) graph (4 vials) graph (4 vials) graph (4 vials) graph (5 vials) graph (5 vials) graph (6 vials) graph (6 vials) graph (6 vials) graph (7 vials) graph (8	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter t week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/1 MAINTENANCE: Inject 3	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter at week 12, then every 8 weeks thereafter Flush Protocol	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/7 MAINTENANCE: Inject 3 Acetaminophen Diphenhydramine 250ml 0.9%NaCl for hyd	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter t week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Skyrizi (risankizumab) Pre-medication * Infusion supp	300mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial & other medications lies as per protocol	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/1 MAINTENANCE: Inject 3	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter t week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	Refills
Entyvio (vedolizumab) Inflectra (infliximab) Remicade Renflexis Stelara (ustekinumab) Pre-medication * Infusion supp * Anaphylaxis k	300mg vial 100mg vial 100mg vial 130 mg / 26ml vial 90mg (2x 45mg vials) 600mg / 10 ml vial 600mg / 10 ml vial a cother medications lies as per protocol cit as per protocol	INITIAL: Infuse 300mg I MAINTENANCE: Infuse INITIAL: Infuse MAINTENANCE: Infuse Other Pharmacist will round to INITIAL: Weight based do 55kg or less: 260 Greater than 85k MAINTENANCE: Inject 9 INITIAL: Infuse 600mg/7 MAINTENANCE: Inject 3 Acetaminophen Diphenhydramine 250ml 0.9%NaCl for hyd	Directions IV at week 0, 2, 6, then every 300mg IV every w mg/kg IV at week 0, 2, 6, t mg/kg IV every to the nearest 100mg	hen every 8 weeks thereafter weeks ve exact dose (do NOT round) 5kg to 85kg: 390mg (3 vials) dose, then every 8 weeks thereafter t week 12, then every 8 weeks thereafter Flush Protocol * NaCl 0.9% 10ml	Refills

PRESCRIBER MUST MANUALLY SIGN - STAMP SIGNATURE, SIGNATURE BY OTHER PERSONNEL AND COMPUTER-GENERATED SIGNATURES WILL NOT BE ACCEPTED

The attached document(s) contain confidential information which may be considered to be Protected Health Information and therefore required to be maintained as private and secure under HIPAA. The documents may also contain information which is otherwise considered to be privileged under state and federal laws. This communication is for the intended recipient only. If you are not the intended recipient, or a person responsible for delivering this communication to the intended recipient, you are prohibited from viewing, copying and/or distributing the information contained herein. Unlawful disclosure of the information attached may subject you to monetary penalties and sanctions. If you have received this communication in error, you should notify the sender immediately and thereafter permanently destroy all copies of this document in its entirety.